



KenGen

KENYA ELECTRICITY GENERATING COMPANY LIMITED

KGN-GDD-024-2017

**TENDER FOR SUPPLY AND DELIVERY OF ASSORTED
TOOLS AND EQUIPMENT FOR STEAMFIELD WORKSHOP
AT GEOTHERMAL DEVELOPMENT DIVISION**

(Reserved for Youth Enterprises Only)

**Kenya Electricity Generating Company Limited
Stima Plaza Phase III, Kolobot Road, Parklands
P.O. BOX 47936-00100
NAIROBI.**

Website: www.kengen.co.ke

APRIL, 2017

Tender for Supply of Steam Field Tools and Equipment

TABLE OF CONTENTS

		PAGE
SECTION I	INVITATION TO TENDER.....	4
SECTION II	INSTRUCTIONS TO TENDERERS.....	5
	Appendix to Instructions to Tenderers	21
SECTION III	GENERAL CONDITIONS OF CONTRACT.....	23
SECTION IV	SPECIAL CONDITIONS OF CONTRACT.....	30
SECTION V	TECHNICAL SPECIFICATIONS.....	32
SECTION VI	SCHEDULE OF REQUIREMENTS.....	34
SECTION VII	PRICE SCHEDULE FOR GOODS.....	35
SECTION VIII	STANDARD FORMS.....	36

SECTION I INVITATION TO TENDER

The Company invites sealed tenders from eligible candidates for the **Supply and delivery of assorted tools and equipment for Steamfield Workshop at Geothermal Development Division** whose specifications are detailed in the Tender Document.

Interested eligible candidates may obtain further information from and inspect the Tender Documents during official working hours starting at the date of advert at the office of:

Supply Chain Director

Tel: (254) (020) 3666000

Email: tenders@kengen.co.ke; jgesaka@kengen.co.ke

where the tender document may be collected upon payment of a non-refundable fee of **KShs.1,000.00** paid in cash or through a bankers cheque at any KenGen finance office. The document can also be viewed and downloaded from the website www.kengen.co.ke and www.suppliers.treasury.go.ke. Bidders who download the tender document from the website **are advised to forward their particulars to facilitate any subsequent tender clarifications and addenda**. Downloaded copies are free of charge.

Bidders are advised from time to time to be checking the website for any uploaded further information on this tender.

Unless otherwise stated, tenders **MUST** be accompanied by a security in the format and amount specified in the tender documents and must be submitted in a plain sealed envelope and marked **KGN-GDD-024-2017 - Supply and delivery of assorted tools and equipment for Steamfield Workshop at Geothermal Development Division** and addressed to:

**Company Secretary & Legal Affairs Director
Kenya Electricity Generating Company Limited
10th Floor, KenGen Pension Plaza Phase II
Kolobot Road, Parklands
P O Box 47936 - 00100
NAIROBI, KENYA**

On or before: **9th May 2017 at 2.00PM**

Tenders will be opened on **9th May 2017 at 2.30PM** in the presence of the candidates' representatives who choose to attend at Stima Plaza III, Executive Committee Room, 7th Floor. The company reserves the right to vary the quantities.

N/B: KenGen adheres to high standards of integrity in its business operations. Report any unethical behavior immediately to the provided anonymous hotline service.

1) Call Toll Free: 0800722626

2) FreeFax: 00800 007788

3) Email: kengen@tip-offs.com

4) Website : www.tip-offs.com

SUPPLY CHAIN DIRECTOR

Tender for Supply of Steam Field Tools and Equipment

SECTION II

INSTRUCTIONS TO TENDERERS

Table of Clauses

- 2.1 Eligible tenderers
- 2.2 Eligible goods
- 2.3 Cost of tendering
- 2.4 Contents of Tender document
- 2.5 Clarification of documents
- 2.6 Amendment of documents
- 2.7 Language of tender
- 2.8 Documents comprising the tender
- 2.9 Tender forms
- 2.10 Tender prices
- 2.11 Tender currencies
- 2.12 Tenderers eligibility and qualifications
- 2.13 Goods' eligibility and conformity to tender documents
- 2.14 Tender security
- 2.15 Validity of tenders
- 2.16 Format and signing of tenders
- 2.17 Sealing and marking of tenders
- 2.18 Deadline for submission of tender
- 2.19 Modification and withdrawal of tenders
- 2.20 Opening of tenders
- 2.21 Clarification of tenders
- 2.22 Preliminary examination
- 2.23 Conversion to single currency
- 2.24 Evaluation and comparison of tenders
- 2.25 Contacting the procuring entity
 - (a) Award of contract
 - (b) Post qualification
 - (c) Award criteria
 - (d) Procuring entity's right to vary quantities
 - (e) Procuring entity's right to accept or reject any or all tenders
- 2.26 Notification of award

- 2.27 Signing of contract
- 2.28 Performance security
- 2.29 Corrupt or fraudulent practices

2.1 **Eligible Tenderers**

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements (Section VI).
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

2.2 **Eligible Goods**

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 **Cost of Tendering**

2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

2.3.2 The price to be charged for the tender document collected from the Procuring Entity shall not exceed Kshs.1,000/=. Downloaded copies are free of charge.

2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

2.4. **The Tender Document**

2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers

- (i) Invitation to Tender
- (ii) Instructions to tenderers
- (iii) General Conditions of Contract
- (iv) Special Conditions of Contract
- (v) Schedule of requirements
- (vi) Technical Specifications
- (vii) Tender Form and Price Schedules
- (viii) Tender Security Form
- (ix) Contract Form
- (x) Performance Security Form
- (xi) Manufacturer's Authorization Form
- (xii) Confidential Business Questionnaire

2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 **Clarification of Documents**

2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than **seven (7) days**

prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.

2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer **within 3 days** of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 **Amendment of Documents**

2.6.1 **At any time prior** to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.

2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in email and will be binding on them.

2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 **Language of Tender**

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 **Documents Comprising of Tender**

2.8.1 The tender prepared by the tenderers shall comprise the following components:

- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below

- (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
- (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
- (d) tender security furnished in accordance with paragraph 2.14

2.9 Tender Forms

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 Tender Prices

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract

2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.

2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22

2.10.4 The validity period of the tender shall be **90 days** after the date of opening of the tender.

2.11 Tender Currencies

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

2.12.1 Pursuant to paragraph 2.1. the tenderer shall furnish, as part of its Tender, documents establishing the tenderers eligibility to tender and

Its qualifications to perform the contract if its tender is accepted.

2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;

(a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.

(b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;

(c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

(a) a detailed description of the essential technical and performance characteristic of the goods;

- (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity (*if applicable*); and
- (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount specified in the Appendix to Invitation to Tenderers.

2.14.2 The tender security shall be in the amount of *(Specify the amount)*.

2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7

2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of an on-demand bank guarantee issued by a reputable bank located in Kenya or where the bank is located abroad, it must have a local correspondent bank.

The Tender Security may also be in the form of an on-demand guarantee issued by a reputable insurance company approved by the Authority and in the form provided in the tender documents or another form acceptable to the Procuring entity.

The tender security must be valid for at least thirty (30) days beyond the validity of the tender.

2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non responsive, pursuant to paragraph 2.22

2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible, but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.

2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28

2.14.8 The tender security may be forfeited:

- (a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or
- (b) in the case of a successful tenderer, if the tenderer fails:
 - (i) to sign the contract in accordance with paragraph 2.27
or
 - (ii) to furnish performance security in accordance with paragraph 2.28

2.15 Validity of Tenders

2.15.1 Tenders shall remain valid for **90 days after** the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non responsive.

2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

2.16.1 The Tenderer shall prepare **two copies of the tender**, clearly marking each “**ORIGINAL TENDER**” and “**COPY OF TENDER**,” as appropriate. In the event of any discrepancy between them, the original shall govern.

2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. **The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for un-amended printed literature, shall be initialed by the person or persons signing the tender.**

2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as “ORIGINAL” and “COPY.” The envelopes shall then be sealed in an outer envelope.

2.17.2 The inner and outer envelopes shall:

(a) be addressed to the Procuring entity at the address given in the Invitation to Tender:

(b) bear, tender number and name in the Invitation for Tenders and the words, “DO NOT OPEN BEFORE, 9th May 2017 at 2.00PM”

2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared “late”.

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender's misplacement or premature opening.

2.18 Deadline for Submission of Tenders

2.18.1 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than **9th May 2017 at 2.00PM**

2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.19 Modification and Withdrawal of Tenders

2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring Entity prior to the deadline prescribed for submission of tenders.

2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.

2.19.3 No tender may be modified after the deadline for submission of tenders.

2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7

2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.

2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.20 Opening of Tenders

2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at **9th May 2017 at 2.30PM** and in the location specified in the Invitation to Tender.

The tenderers' representatives who are present shall sign a register evidencing their attendance.

2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination

2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.

2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by

multiplying the unit price and quantify, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail

2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any tenderer.

2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22

2.24.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.25 Preference

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.26 Contacting the Procuring entity

2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.27 Award of Contract

(a) Post-qualification

2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.

2.27.3 A positive determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that

the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

(d) Procuring entity's Right to accept or Reject any or All Tenders

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

2.28 Notification of Award

2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.

2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties

2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

2.29 Signing of Contract

2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.

2.29.2 The parties to the contract shall have it signed within **fifteen (15) days** from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within **fifteen (15) days** of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.30 Performance Security

2.30.1 Within **fifteen (15) days** of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.

2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.31 Corrupt or Fraudulent Practices

2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;

- (i) “corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
- (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;

2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement, supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
2.1.1	This invitation for tender is an Open national tender invitation.
2.11.1	<ul style="list-style-type: none"> • Price quoted must be DDP OLKARIA (Delivery Duty Paid to Olkaria) • Price quoted MUST be in Kenya Shillings
2.14.2	Duly filled Tender Securing Declaration Form valid for 120 days from the tender opening date.
2.15.1	Tenders shall remain valid for 90 days after the date of tender opening prescribed by Kengen, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non responsive.
2.18.1	<p>Tender closing date: 9th May 2017 at 2.00PM</p> <p>Tenders opening date: 9th May 2017 at 2.30PM</p>
2.22.2	<p>No Correction of arithmetic errors</p> <ul style="list-style-type: none"> • The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity. Ref: Sec. 82 of the PPADA, 2015.
2.24.1	<p>The following shall be the evaluation Criteria</p> <p>A) Mandatory Requirements</p> <ul style="list-style-type: none"> ➤ Duly completed tender form ➤ Duly completed price schedule ➤ Duly filled Mandatory confidential business questionnaire form ➤ Valid Tax Compliance Certificate ➤ Valid Certificate of business registration

	<ul style="list-style-type: none"> ➤ Valid Tender Securing declaration ➤ Audited financial reports for the previous two (2) financial years ➤ <i>Financial Ratio: Quick/Acid test Ratio of 1:1</i> ➤ Sequential pagination/serialization of all pages in the tender document, Sec.74.1.i. of the PPADA, 2015. ➤ Bidders to submit an original and one copy of the tender document. ➤ Litigation history <p>B) Technical Evaluation Requirements</p> <ul style="list-style-type: none"> ➤ Compliance to technical specification ➤ Provide Catalogues, technical and descriptive literature ➤ Technical data sheets showing conformity to the technical specifications. ➤ Goods to be supplied must be new/unused ➤ Provide Manufacturers Authorization <p>D)Financial Evaluation</p> <ul style="list-style-type: none"> ➤ Each schedule quoted for must be COMPLETE in order to qualify as responsive. ➤ Award shall be based per lowest evaluated schedule. ➤ Price quoted must be DDP OLKARIA (Delivery Duty Paid to Olkaria) ➤ Price quoted MUST be in Kenya Shillings ➤ No correction of arithmetic errors
2.27.7	KenGen may at its own discretion conduct due diligence on the eligible bidders to establish their ability to perform the contract.
2.31	<p>Corrupt or Fraudulent Practices Reporting KenGen adheres to high standards of integrity in its business operations. Report any unethical behavior immediately to any of the provided anonymous hotline service.</p> <ol style="list-style-type: none"> 1) Call Toll Free: 0800722626 2) Free-Fax: 00800 007788 3) Email: kengen@tip-offs.com 4) Website : www.tip-offs.com

SECTION III:
GENERAL CONDITIONS OF CONTRACT

Table of Clauses

- 3.1 Definitions
- 3.2 Application
- 3.3 Country of Origin
- 3.4 Standards
- 3.5 Use of Contract documents and information
- 3.6 Patent Rights
- 3.7 Performance security
- 3.8 Inspection and Tests
- 3.9 Packing
- 3.10 Delivery and documents
- 3.11 Insurance
- 3.12 Payment
- 3.13 Price
- 3.14 Assignments
- 3.15 Sub contracts
- 3.16 Termination for default
- 3.17 Liquidated damages
- 3.18 Resolution of Disputes
- 3.19 Language and law
- 3.20 Force Majeure
- 3.21 Taxes

3.1 Definitions

3.1.1 In this Contract, the following terms shall be interpreted as indicated:-

- (a) “The Contract” means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) “The Goods” means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) “The Procuring entity” means the organization purchasing the Goods under this Contract.
- (e) “The Tenderer” means the individual or firm supplying the Goods under this Contract.

3.2 Application

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

3.3 Country of Origin

3.3.1 For purposes of this clause, “Origin” means the place where the Goods were mined, grown or produced.

3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.

3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 Patent Rights

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 Performance Security

3.7.1 Within **fifteen (15) days** of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.

3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.

3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring

entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.

3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 Inspection and Tests

3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.

3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.

3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.

3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.

3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 Packing

3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.

3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 Delivery and Documents

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 Insurance

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 Payment

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

3.13 Prices

3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

3.13.3 Where contract price variation is allowed, the variation shall not exceed 25% of the original contract price.

3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

3.14. Assignment

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15 Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16 Termination for default

3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part

- (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
- (b) if the tenderer fails to perform any other obligation(s) under the Contract
- (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

3.17 Liquidated Damages

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18 Resolution of Disputes

3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract

3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.19 Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.20 Force Majeure

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

3.21 Taxes

3.21.1 "Taxes" means all present and future taxes, levies, duties, charges, assessments, deductions or withholdings whatsoever, including any interest thereon, and any penalties and fines with respect thereto, wherever imposed, levied, collected, or withheld pursuant to any regulation having the force of law and "Taxation" shall be construed accordingly.

3.21.2 Local Taxation

Nothing in the Contract shall relieve the Contractor and/or his Sub-Contractors from their responsibility to pay any taxes, statutory contributions and levies that may be levied on them in Kenya in respect of the Contract. The Contract Price shall include all applicable taxes and shall not be adjusted for any of these taxes.

3.21.3 The Contractor shall be deemed to be familiar with the tax laws in the Employer's Country and satisfied themselves with the requirements for all taxes, statutory contributions and duties to which they may be subjected during the term of the Contract.

3.21.4 In instances where discussions are held between the Employer and the Contractor regarding tax matters, this shall not be deemed to constitute competent advice and hence does not absolve the Contractor of their responsibility in relation to due diligence on the tax issue as per 3.21.2 above.

Tax Deduction

3.21.5 If the Employer is required to make a tax deduction by Law, then the deduction shall be made from payments due to the Contractor and paid directly to the Kenya Revenue Authority. The Employer shall upon remitting the tax to Kenya Revenue Authority furnish the Contractor with the relevant tax deduction certificates.

3.21.6 Where the Contractor is paid directly by the Financiers and the Employer is not able to deduct tax, then the Contractor will be required to pay the tax deduction to Kenya Revenue Authority in the name of the Employer and furnish the Employer with an original receipt thereof as evidence of such payment. In absence of the said evidence, the Employer will not process any subsequent payments to the Contractor.

Tax Indemnity

3.21.7 The Contractor shall indemnify and hold the Employer harmless

from and against any and all liabilities, which the Employer may incur for any reason of failure by the Contractor to comply with any tax laws arising from the execution of the Contract whether during the term of the Contract or after its expiry.

3.21.8 The Contractor warrants to pay the Employer (within fourteen (14) days of demand by the Employer), an amount equal to the loss, liability or cost which the Employer determines has been (directly or indirectly) suffered by the Employer for or on account of the Contractor's Tax liability arising from the Contract.

3.21.9 Where the amount in 3.21.8 above remains unpaid after the end of the fourteen (14) days moratorium, the Employer shall be entitled to compensation for financing charges.

SECTION IV

SPECIAL CONDITIONS OF CONTRACT

- 4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.
42. Special conditions of contract as relates to the GCC

REFERENCE OF GCC	SPECIAL CONDITIONS OF CONTRACT
3.7.1	Performance security <ul style="list-style-type: none">The performance security shall be in the amount of 1% of the contract price.
3.10.1	Delivery Period <ul style="list-style-type: none">The Goods shall be delivered within 3 months from the issuance of a Purchase Order
3.12.3	Payment Terms and Conditions <ul style="list-style-type: none">KenGen's payment terms are 30 days upon receipt of certified invoices and delivery notes confirming that the invoiced material has been delivered and are in accordance with the contract. Advance Payment <ul style="list-style-type: none">Advance payment is not applicable
3.18.3	Arbitration where necessary shall be by the Chartered Institute of Arbitrators Kenya Chapter

SECTION V

TECHNICAL SPECIFICATIONS

5.1 PARTICULARS

SUPPLY OF STEAMFIELD TOOLS AND EQUIPMENT FOR GEOTHERMAL DEVELOPMENT DIVISION

- Items required are assorted tools and equipment for mechanical and electrical works.
- The specifications are described against each item in the schedule of requirements.
- Brochures and Material Data Sheets **MUST** be attached where indicated.
- The Tools and Equipment to be supplied **MUST** be New and Unused.

SECTION VI

SCHEDULE OF REQUIREMENTS

STEAMFIELD TOOLS FOR GEOTHERMAL DEVELOPMENT DIVISION

No.	Description	Unit	Qty	Delivery Period
<u>SCHEDULE A</u>				
1.	4 Inch Adjustable Spanner Specifications: 1. Made Of Chrome Vanadium Steel, Chrome Plated Polished With Lead. 2. With 22 ⁰ Offset Head. NB: Attachment Of Brochure/ Material Data Sheet	PC	4	
2.	6 Inch Adjustable Spanner Specifications: 1. Made of chrome vanadium steel, chrome plated polished with lead. 2. With 22 ⁰ offset head. NB: Attachment of brochure/ material data sheet	PC	4	
3.	12 Inch Adjustable Spanner Specifications: 1. Made of chrome vanadium steel, chrome plated polished with lead. 2. With 22 ⁰ offset head. NB: Attachment of brochure/ material data sheet	PC	4	
4.	24 Inch adjustable spanner Specifications: 1. Made of chrome vanadium steel, chrome plated polished with lead. 2. With 22 ⁰ offset head. NB: Attachment of brochure/ material data sheet	PC	2	
5.	Double ended metric open jaw spanner (6mm to 32mm)	SET	4	

	<p>Specifications:</p> <ol style="list-style-type: none"> 1. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x17, 20x22, 21x23, 24x27, 25x28, 30x32. 2. Chrome – vanadium steel. 3. Hardened and tempered. <p>NB: Attachment of brochure/ material data sheet</p>			
6	<p>Double ended metric ring spanner (6mm to 32mm)</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x17, 20x22, 21x23, 24x27, 25x28, 30x32. 2. Chrome – vanadium steel. 3. Hardened and tempered. <p>NB: Attachment of brochure/ material data sheet</p>	SET	4	
7	<p>Combined spanner</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Craftsman combined spanner. 2. 14 pieces per set as follows; 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22. 3. Chrome – vanadium steel. 4. Hardened and tempered. <p>NB: Attachment of brochure/ material data sheet</p>	SET	4	
8	<p>½ inch Drive Digital Torque Wrench</p> <p>Specifications: Capacity- 1000N-m Precision Digital Torque wrench with USB Data Output</p> <p>NB: Attachment of brochure/ material data sheet</p>	PC	1	
9	<p>2 Lb Engineers ball pein hammer</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Heat treated carbon steel heads. 2. Drop forged. <p>NB: Attachment of brochure/ material data sheet</p>	PC	4	
10	<p>4 Lb Engineers ball pein hammer</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Heat treated carbon steel heads. 2. Drop forged. 	PC	4	

	NB: Attachment of brochure/ material data sheet			
11	1 Lb Copper hammer Specifications: <ol style="list-style-type: none"> 1. Head material copper 2. Wooden handle NB: Attachment of brochure/ material data sheet	PC	2	
12	2 Lb Copper hammer Specifications: <ol style="list-style-type: none"> 1. Head material copper 2. Wooden handle NB: Attachment of brochure/ material data sheet	PC	2	
13	10 Lb Sledge hammer Specifications: <ol style="list-style-type: none"> 1. Heat treated carbon steel heads. 2. Drop forged NB: Attachment of brochure/ material data sheet	PC	4	
14	5 Lb Sledge hammer Specifications: <ol style="list-style-type: none"> 1. Heat treated carbon steel head. 2. Drop forged NB: Attachment of brochure/ material data sheet	PC	4	
15	1 Ton X 1m Wire rope sling Specifications: <ol style="list-style-type: none"> 1. Length – 1m 2. SWL – 1 Ton 3. Single leg 4. DNV approved 5. Conform to BSEN 13414-1 NB: Attachment of brochure/ material data sheet	PC	2	
16	2 Ton X 1m Wire rope sling Specifications: <ol style="list-style-type: none"> 1. Length – 1m 2. SWL – 2 Ton 3. Single leg 4. DNV approved 	PC	2	

	<p>5. Conform to BSEN 13414-1 NB: Attachment of brochure/ material data sheet</p>			
17	<p>2 Ton X 2m Wire rope sling</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Length – 2m 2. SWL – 2T 3. Single leg 4. DNV approved 5. Conform to BSEN 13414-1 <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
18	<p>3Ton X 2m Wire rope sling</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Length – 2m 2. SWL – 3T 3. Single leg 4. DNV approved 5. Conform to BSEN 13414-1 <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
19	<p>3Ton X 3m Wire rope sling</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Length – 3m 2. SWL – 3T 3. Single leg 4. DNV approved 5. Conform to BSEN 13414-1 <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
20	<p>4 Ton X 3m Wire rope sling</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Length – 3m 2. SWL – 4T 3. Single leg 4. DNV approved 5. Conform to BSEN 13414-1 <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
21	<p>5Ton X 3m X 125mm Lifting sling strap (flat belt)</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. 100% polyester flat webbing sling. 	PC	2	

	<ul style="list-style-type: none"> 2. Reinforced bracket eye. 3. Should a serial number and certificate of conformity. 4. Length-3m, SWL-5T, width-125mm. <p>NB: Attachment of brochure/ material data sheet</p>			
22	<p>3Ton X 3m X 75mm Lifting sling strap (flat belt)</p> <p>Specifications:</p> <ul style="list-style-type: none"> 1. 100% polyester flat webbing sling. 2. Reinforced bracket eye. 3. Should a serial number and certificate of conformity. 4. Length-3m, SWL-3T, width-75mm. <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
23	<p>4 Ton X 2m X 100mm Lifting sling strap (flat belt)</p> <p>Specifications:</p> <ul style="list-style-type: none"> 1. 100% polyester flat webbing sling. 2. Reinforced bracket eye. 3. Should a serial number and certificate of conformity. 4. Length-2m, SWL-4T, width-100mm. <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
24	<p>2Ton X 2m X 50mm Lifting sling strap (flat belt)</p> <p>Specifications:</p> <ul style="list-style-type: none"> 1. 100% polyester flat webbing sling. 2. Reinforced bracket eye. 3. Should a serial number and certificate of conformity. 4. Length-2m, SWL-2T, width-50mm. <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
25	<p>1 Ton X 1m X 50mm Lifting sling strap (flat belt)</p> <p>Specifications:</p> <ul style="list-style-type: none"> 1. 100% polyester flat webbing sling. 2. Reinforced bracket eye. 3. Should a serial number and certificate of conformity. 4. Length-1m, SWL-1T, width-50mm. <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
26	<p>2Ton X 1m X 50mm Lifting sling strap (flat belt)</p>	PC	2	

	<p>Specifications:</p> <ol style="list-style-type: none"> 1. 100% polyester flat webbing sling. 2. Reinforced bracket eye. 3. Should a serial number and certificate of conformity. 4. Length-1m, SWL-2T, width-50mm. <p>NB: Attachment of brochure/ material data sheet</p>			
27	<p>2 Ton D-shackle</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Galvanized steel screw pin = 7/8 inches 2. Bow Diameter = 3/4 inches 3. Hot dipped galvanized 4. Conforms to EN 13889 5. DNV approved. 6. SWL – 2T <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
28	<p>3 Ton D-shackle</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Galvanized steel screw pin = 1 inch 2. Bow Diameter = 7/8 inches 3. Hot dipped galvanized 4. Conforms to EN 13889 5. DNV approved. 6. SWL – 3T <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
29	<p>5 Ton D-shackle</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Galvanized steel screw pin = 1-1/4 inches 2. Bow Diameter = 1-1/8 inches 3. Hot dipped galvanized 4. Conforms to EN 13889 5. DNV approved. 6. SWL – 4T <p>NB: Attachment of brochure/ material data sheet</p>	PC	2	
30	<p>6 Ton D-shackle</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Galvanized steel screw pin = 1-3/8 inches 	PC	2	

	<ul style="list-style-type: none"> 2. Bow Diameter = 1-1/4 inches 3. Hot dipped galvanized 4. Conforms to EN 13889 5. DNV approved. 6. SWL – 5T <p>NB: Attachment of brochure/ material data sheet</p>			
31	<p>50m X 1 inch Dia water hose pipe</p> <p>Specifications:</p> <ul style="list-style-type: none"> 1. Non Kinking 2. Non-toxic transparent inner core 3. Black rubberized outer sheathing <p>NB: Attach material data sheet/ brochure</p>	PC	2	
32	<p>11 Pc Cushion Grip Flat Screwdriver Set</p> <p>Specifications:</p> <ul style="list-style-type: none"> 1. Bi-Material handle for comfort and control 2. Smooth domed end for fast spinning action 3. Black oxide tip for precise fit in fasteners 4. Chrome plated bar for corrosion resistance 5. Tip identification on every handle for easy selection <p>SIZES 3/16" x 3", 1/4" x 4", 5/16" x 6", 1/4" x 1-3/4" 1/8" x 3" Opt x 2-3/8", 1pt x 3", 2pt x 1-3/4", 2pt x 4", 3pt x 6", Z-Offset</p> <p>Attachment of material data sheet/ brochure</p>	SET	2	
33	<p>11 Pc Cushion Grip Star Screwdriver Set</p> <p>Specifications:</p> <ul style="list-style-type: none"> 1. Bi-Material handle for comfort and control 2. Smooth domed end for fast spinning action 3. Black oxide tip for precise fit in fasteners 4. Chrome plated bar for corrosion resistance 5. Tip identification on every handle for easy selection <p>SIZES 3/16" x 3", 1/4" x 4", 5/16" x 6", 1/4" x 1-3/4" 1/8" x 3" Opt x 2-3/8", 1pt x 3", 2pt x 1-3/4", 2pt x 4", 3pt x 6", Z-Offset</p>	SET	2	

	Attachment of material data sheet/ brochure																														
34	High Leverage Combination Pliers Specifications: <ol style="list-style-type: none"> 1. Chrome vanadium steel. 2. Drop forged and heat treated. 3. Induction hardened cutting edges. 4. Serrated gripping surfaces. 5. 7''x4 pieces(1 set) 6. 8''x4 pieces(1 set) NB: Attachment of material data sheet/ Brochure	SET	2																												
35	Long Nose Pliers Specifications: <ol style="list-style-type: none"> 1. High leverage long nose pliers 2. Chrome vanadium steel 3. Drop forged & heat treated 4. Induction hardened cutting edges 5. Serrated gripping surfaces 6. 7'' X4 pieces (1 set) 7. 8''X4 pieces (1 set) NB: Attachment of material data sheet/ Brochure	SET	2																												
36	Allen Keys Set Specifications: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Hex size</th> <th style="text-align: center;">Length long arm</th> <th style="text-align: center;">Length short arm</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1.5 mm</td> <td style="text-align: center;">90 mm</td> <td style="text-align: center;">14 mm</td> </tr> <tr> <td style="text-align: center;">2 mm</td> <td style="text-align: center;">112 mm</td> <td style="text-align: center;">19 mm</td> </tr> <tr> <td style="text-align: center;">2.5 mm</td> <td style="text-align: center;">101 mm</td> <td style="text-align: center;">16 mm</td> </tr> <tr> <td style="text-align: center;">3 mm</td> <td style="text-align: center;">123 mm</td> <td style="text-align: center;">21 mm</td> </tr> <tr> <td style="text-align: center;">4 mm</td> <td style="text-align: center;">137 mm</td> <td style="text-align: center;">24 mm</td> </tr> <tr> <td style="text-align: center;">5 mm</td> <td style="text-align: center;">154 mm</td> <td style="text-align: center;">27 mm</td> </tr> <tr> <td style="text-align: center;">6 mm</td> <td style="text-align: center;">172 mm</td> <td style="text-align: center;">31 mm</td> </tr> <tr> <td style="text-align: center;">8 mm</td> <td style="text-align: center;">195 mm</td> <td style="text-align: center;">37 mm</td> </tr> </tbody> </table>	Hex size	Length long arm	Length short arm	1.5 mm	90 mm	14 mm	2 mm	112 mm	19 mm	2.5 mm	101 mm	16 mm	3 mm	123 mm	21 mm	4 mm	137 mm	24 mm	5 mm	154 mm	27 mm	6 mm	172 mm	31 mm	8 mm	195 mm	37 mm	SET	2	
Hex size	Length long arm	Length short arm																													
1.5 mm	90 mm	14 mm																													
2 mm	112 mm	19 mm																													
2.5 mm	101 mm	16 mm																													
3 mm	123 mm	21 mm																													
4 mm	137 mm	24 mm																													
5 mm	154 mm	27 mm																													
6 mm	172 mm	31 mm																													
8 mm	195 mm	37 mm																													

	10 mm	224 mm	42 mm			
	NB: Attach material data sheet/ brochure					
37	Torx Keys Set			SET	2	
	Specifications:					
	Set Size Range Max	36				
	SAE/Metric/ Torx	T-10, E-5, 5/32, 2mm				
	ASME Specification	T-55, E-18, 3/8, 10mm				
	Drive Type	Torx®				
	Length Format	B107.1, B107.5M				
	Set Piece Count	Torx®/E-Torx®/Hex				
	Set Size Range Min	Torx®/E-Torx®/Hex				
	Size T5,T6,T7,T8,T9,T10,T15,T20,T25,T27,T30,T36					
	Attachment of material data sheet/ brochure					
38	Craftsman 20 inch Steel Hip Roof tool Box			PC	5	
	Specifications:					
	<ol style="list-style-type: none"> 1. Durable steel construction 2. High Gloss powder coat Finish 3. Heavy Plated Latches 4. Suitable for Mechanical and Electrical works 					
	Attach material data sheet/ brochure					
39	Tap & die set (metric)			Set	1	
	Specifications:					
	<ol style="list-style-type: none"> 1. Alloy steel material 2. 51 pieces 3. Adjustable area 4. Sliding –t bar tap wrench 5. Die holder 6. 3mm flat screw driver 7. Screw extractors 					

	8. M6,8,10,12,14,16,18,20,22,24,26,28 &30. Attach material data sheet.			
40	Pipe threading kit Specifications: 1. Cast iron material 2. BSPT 3. Iron die heads 4. chasers 5. washer holes per head 6. cast iron die heads,1/4",3/8",1/2",3/4",1/8",5/4"3/2". Attach material data sheet	set	1	

SCHEDULE B

41	E-Z Fit Single Pipe Chain Clamp 10-36inch Applicable in welding pipe alignment with the following specifications; 1. High rise independent double jack bars/clamping feet, spaced around the outside diameter of pipe. 2. Jack bars with double jackscrew/aligning screws 'high rise' jack bars should have extra clearance to enable easy access with welding torch/rod. 3. Each Jackscrew should have independent pivoting feet to cope with uneven surface 4. Zinc plated chain 5. Chain and screws should be zinc passivated to eliminate weld spatter and corrosion. 6. Should fit up pipe together with tees, elbows, flanges, end caps. 7. Jack bars with lock screws 8. Lock chain device 9. Locking arm 10. Fitting holder/ adjuster for tees or elbows. Sizes 10- 36 inch	PC	1	
----	---	----	---	--

	<p><u>Extras</u></p> <p>Zinc plaited chain - 1m</p> <p>Jack screws/ aligning screws - 6 pieces</p> <p>Heavy duty chain pliers - 2 pieces</p> <p>NB: Attachment of brochure</p>			
42	<p>E-Z Fit Single Pipe Chain Clamp 1-10inch</p> <p>Applicable in welding pipe alignment with the following specifications;</p> <ol style="list-style-type: none"> 1. High rise independent double jack bars/clamping feet, spaced around the outside diameter of pipe. 2. Jack bars with double jackscrew/aligning screws ‘high rise’ jack bars should have extra clearance to enable easy access with welding torch/rod. 3. Each Jackscrew with independent pivoting feet to cope with uneven surface 4. Zinc plated chain 5. Chain and screws should be zinc pasivated to eliminate weld spatter and corrosion. 6. Should fit up pipe together with tees, elbows, flanges, end caps. 7. Jack bars with lock screws 8. Lock chain device 9. Locking arm 10. Fitting holder/ adjuster for tees or elbows. <p>Sizes - 1-10 inch</p> <p><u>Extras</u></p> <p>Zinc plaited chain - 1m</p> <p>Jack screws/ aligning screws - 6 pieces</p> <p>Heavy duty chain pliers - 2 pieces</p> <p>NB: Attachment of brochure</p>	PC	1	

43	<p>Constant Swing Tubing Cutter</p> <p>Heavy duty tube cutter suitable for copper, brass, aluminium and thin wall conduit. It should have the following features:</p> <ol style="list-style-type: none"> 1. Enclosed feed screw to eliminate clogging and jamming. 2. Grooved rollers for close-to-flare cuts and a fold-away reamer. 3. X-cel knob and wheel pin. 4. Spare cutter wheel in the knob. 5. Should cut copper, brass, aluminium tubing and thin-wall conduit. 6. Should cut tubings from 1/4inch to 1-3/8 inch <p>Material: High-strength zinc alloy.</p> <p>NB: Attach Brochure/Material Data Sheet</p>	PC	2																	
44	<p>Portable ventilation fan with 5m air duct</p> <ol style="list-style-type: none"> 1. PVC heavy duty flexible duct (5m) 2. Carry handle and rubber feet. 3. 8 inch, 200mm axial blower 4. AC electric motor 5. 220/240 voltage 6. 50-60 HZ frequency 7. 230w Watts 8. 2850 rpm revolution <p>NB: Attach brochure</p>	PC	2																	
45	<p>Hand held blower</p> <p>Specifications</p> <table border="0"> <tr> <td>Continuous Rating</td> <td>600W</td> </tr> <tr> <td>Input</td> <td></td> </tr> <tr> <td>Air Volume</td> <td>0 - 4.1m³/min</td> </tr> <tr> <td>Air Pressure</td> <td>0 - 5.7kpa (0 - 580mm H²O)</td> </tr> <tr> <td>No Load Speed</td> <td>0 - 16000rpm</td> </tr> <tr> <td>Overall Length</td> <td>480mm (18-7/8")</td> </tr> <tr> <td>Net Weight</td> <td>2.0kg</td> </tr> <tr> <td>Power Supply Cord</td> <td>2.5m</td> </tr> </table> <p>NB: Attach brochure</p>	Continuous Rating	600W	Input		Air Volume	0 - 4.1m ³ /min	Air Pressure	0 - 5.7kpa (0 - 580mm H ² O)	No Load Speed	0 - 16000rpm	Overall Length	480mm (18-7/8")	Net Weight	2.0kg	Power Supply Cord	2.5m	Pc	1	
Continuous Rating	600W																			
Input																				
Air Volume	0 - 4.1m ³ /min																			
Air Pressure	0 - 5.7kpa (0 - 580mm H ² O)																			
No Load Speed	0 - 16000rpm																			
Overall Length	480mm (18-7/8")																			
Net Weight	2.0kg																			
Power Supply Cord	2.5m																			

46	<p>Rechargeable 12 LED Helmet Light</p> <ol style="list-style-type: none"> 1. With Elastic band adjustable to fit any helmet or head 2. 12 LED on steady lighting mode(30hrs battery life) 3. Supply with a Charger 240V/50Hz <p>Attach material data sheet/ brochure</p>	PC	10	
47	<p>Portable Straight Line Gas Cutter</p> <p>The straight line gas cutter should have the following specifications;</p> <ol style="list-style-type: none"> 1. High-strength die casting aluminum main body 2. Speed system adjustable by controlled silicon. Adopt SCR technology control speed for steady movement. 3. 3 Oxygen acetylene hose made of high quality rubber. 4. Quick connector for hose quick link 5. Quick switch attached in pipe assembly for higher efficiency. 6. Single torches cutting, groove range: I.Y.V(45°) <p>Body dimension 470x230x240mm Weight 15 -20kgs Input power 220V±10% 50HZ Cutting thickness 6-100mm Diameter of Circle Cutting 20-2000mm Cutting Speed 50-750mm/min Should come with: Oxygen acetylene high quality rubber hose(blue) - 50m Oxygen acetylene high quality rubber hose(Red) - 50m Convex rail/track type -2 pieces Radius bar (position bar) -2 pieces Nozzles G02-1mm, 1.5mm, 2mm - 3 sets Torch - 3 pieces Nozzle cleaner Service kit</p> <p>NB: Attachment of brochure/material data sheet</p>	PC	1	
48	<p>Portable Circular Gas Cutter.</p> <p>Applicable in cutting shapes of circular, circular hole or flanges and should have the following</p>	PC	1	

	<p>specifications;</p> <ol style="list-style-type: none"> 1. SCR technology for control speed and steady movement. 2. Oxygen and Acetylene hoses should be made of high quality. 3. Quick connectors for connecting the hoses. 4. Aluminium alloy main body. 5. Rotating type gas distributor to avoid hoses twisting. 6. Easy to move by idler wheel <p>Body Dimensions -750x300x700mm</p> <p>Supply Voltage (V/HZ) - AC220/50</p> <p>Dia. of. Circle Cutting 30-600mm</p> <p>Cutting Thickness 6-100mm</p> <p>Cutting Speed 0.2-0.6mm/min</p> <p>Weight 25-30kgs</p> <p><u>Should be supplied with:</u></p> <p>Oxygen acetylene high quality rubber hose(blue) - 50m</p> <p>Oxygen acetylene high quality rubber hose(Red) - 50m</p> <p>Nozzles G02-1mm,1.5mm,2mm -3 sets</p> <p>Torch -3 pieces</p> <p>Nozzle cleaner</p> <p>Service kit</p> <p>NB: Attachment of brochure</p>			
49	<p>12VDC Fuel Transfer pump</p> <p>Specifications:</p> <p><u>Pump</u></p> <ol style="list-style-type: none"> 1. ¼ - HP Rotary vane 2. GPM in supplied configuration of up to 15GPM 3. GPM open flow – no hose or nozzle 18.5GPM 4. Head max 37ft 	pc	1	

	<p>5. Inlet size/thread 1” NPT 6. Outlet size/thread ¾ “ NPT 7. Mount 2” bung NPT 8. Material pump housing - cast iron 9. Rotor material - powered iron 10. Compatible fluids - diesel, gasoline, kerosene & biodiesel up to B20, E15 11. Strainer mesh size 20×20</p> <p><u>Motor</u></p> <p>1. 12VDC powered 2. ¼ HP rating 3. 18’ power cord length (ft) 4. 12AWG power cord gauge 5. 20A (FLA) 6. 2600 rpm 7. 30min duty cycle 8. Thermal protection switch 9. Certification : UL, cUL Motor, ATEX, CE, ANZEx</p> <p>NB: Attach material data sheet/ brochure</p>			
--	---	--	--	--

SCHEDULE C

50	<p>CLAMP METER (MULTI-METER)</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. A flexible current probe that expands the measurement range to 2500 A ac 2. True-RMS AC voltage and current 3. 500 mV DC measurement range to interface with other accessories. 4. Should have Integrated low pass filter to allow use in noisy electrical environments to provide stable readings. 5. Should have proprietary inrush measurement technology to filter out noise and capture motor starting current exactly as the circuit protection sees it. 6. Should be of ergonomic design to fit in a hand 	PC	2	
----	--	----	---	--

and to be used while wearing protective equipment

7. Have a large, easy to read backlight display.
8. Soft carrying case

AC Current via Jaw

Range - 0A-600.0 A

Resolution - 0.1 A

Accuracy;

- 2% ± 5 digits (10-100 Hz)

- 2.5% ± 5 digits (100-500 Hz)

Crest Factor (50/60 Hz) - 3 @ 500 A, add 2% for C.F. > 2

AC Current via Flexible Current Probe

Range - 0A-2500 A

Resolution - 0.1 A (≤ 600 A), 1 A (≤ 2500 A)

Accuracy - 3% ±5 digits (5 – 500 Hz)

Crest Factor (50/60Hz) - 3.0 at 1100 A, 2.5 at 1400 A, 1.42 at 2500 A, Add 2% for C.F. > 2.

DC Current

Range - 0A-600.0 A

Resolution - 0.1 A

Accuracy - 2% ± 5 digits

AC Voltage

Range - 0V-600.0 V

Resolution - 0.1 V

Accuracy - 1.5% ± 5 digits (20 – 500 Hz)

DC Voltage

Range - 0V-600.0 V

Resolution - 0.1 V

Accuracy - 1% ± 5 digits

mV dc

Range - 0mV-500.0 mV

Resolution - 0.1 mV

Accuracy - 1% ± 5 digits

Frequency via Jaw

Range - 5.0 - 500.0 Hz

Resolution - 0.1 Hz

Accuracy - 0.5% ± 5 digits

Trigger Level;

- 5 – 10 Hz, ≥10 A
- 10 – 100 Hz, ≥5 A
- 100 – 500 Hz, ≥10 A

Frequency via Flexible Current Probe

Range - 5.0 - 500.0 Hz

Resolution - 0.1 Hz

Accuracy - 0.5% ± 5 digits

Trigger Level;

- 5 – 20 Hz, ≥ 25 A
- 20 – 100 Hz, ≥ 20 A
- 100 – 500 Hz, ≥ 25 A

Resistance

Range - 0Ω-60 kΩ

Resolution - 0.1 Ω (≤ 600 Ω), 1 Ω (≤ 6000 Ω), 10 Ω (≤ 60 kΩ)

Accuracy - 1% ± 5 digits

Capacitance

Range - 0uF-1000 μF

Resolution - 0.1 μF (≤ 100 μF), 1 μ F (≤ 1000 μF)

Accuracy - 1% ± 4 digits

Mechanical Specifications

Size (L x W x H) - 246 mm x 83 mm x 43 mm

Weight - 388 g

Jaw Opening - 34 mm

Flexible Current Probe Diameter - 7.5 mm

Flexible Current Probe Cable Length

(head to electronics connector) - 1.8 m

NB: Attachment Of Material Data Sheet/Brochure

51	<p>ELECTRICIAN TERMINATION TOOL KIT</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. 18.000 IN Heavy-Duty Multi-Pocket Bag 2. Heavy-Duty 8-Pocket Leather Pouch 3. 2.000 IN Leather Tool Belt 4. 9.000 IN Side-Cutting Pliers 5. 8.000 IN Diagonal Cutting Pliers 6. 10.000 IN Pump Pliers 7. Pro Plus Wire Stripper 10 - 18 AWG 8. Stripping/Crimping Combination Tool 9. Cable Cutter 10. Utility Knife 11. 12.000 IN Hacksaw 12. Keystone Tip Square Shank 1/4 IN X 4.000 IN Flat Blade Screwdriver 13. Keystone Tip Square Shank 5/16 IN X 6.000 IN Flat Blade Screwdriver 14. Cabinet Tip Round Shank 3/16 IN X 6.000 IN Flat Blade Screwdriver 15. Cabinet Tip Round Shank 1/4 IN X 6.000 IN Flat Blade Screwdriver 16. Tip #1 - 3/16 IN X 3.000 IN Screwdriver 17. Tip #2 - 1/4 IN X 4.000 IN Screwdriver 18. Screw holding Screwdriver 3/16 IN X 6.000 IN 19. 3.000 IN Scratch Awl 20. 9-Piece Folding Hex-Key Set 21. 25.000 FT Tape Measure 22. Torpedo Level 23. 18 OZ Electrician's Hammer 24. High Dexterity Gloves (L) 25. GT-11 Voltage Tester 	PC	1	
----	--	----	---	--

	26. Long Nose Pliers 8" 27. NM Cable Ripper 28. Adjustable Wrench 10" with Dipped Grip NB: Attachment of material data sheet/ brochure.			
52	INSULATION RESISTANCE TESTER Specifications: <ol style="list-style-type: none"> Should measure insulation resistance to 20G Ω AC voltage measurement to 600V Low resistance buzzer Data hold, auto range Low battery warning Function symbol display Complete with test leads, heavy duty carry case <p>Testing Voltage - 500/10000/2500V Resistance - 0-20G Ω +/- (3%+5) AC V - 700V +/- (2%+5) LCD MAX . Count - 1999 NB: Attachment of material data sheet/brochure</p>	PC	1	
53	WIRE STRIPPER Specifications: <ol style="list-style-type: none"> Form-ground, hardened, knife-type blades for accurate stripping Tough steel construction Built-in wire cutter and wire looping holes Plier nose for extra gripping strength Laser-etched wire gauge markings Spring-loaded automatic opening Corrosion-resistant, black oxide finish <p>NB: Attach material data sheet/ brochure</p>	PC	3	

54	<p>PHASE TESTER Specification: Voltage: 100 ~ 1000V Casing Material: Plastic Slot Bit Size: 3mm Size(Approx): 5 1/8" x 5/8"(L*D)</p> <p>NB: Attach material data sheet/ brochure</p>	PC	3	
55	<p>CABLE TRACER/LOCATOR</p> <p><u>Technical Specifications</u> Voltage measurement range - Transmitter: 12 V, 50 V, 120 V, 230 V, 400 V Frequency range - Transmitter: 0 - 60 Hz Output signal - 125 kHz Voltage – transmitter: Up to 400 V AC/DC Tracing depth cable location - Receiver: 0...2.5 m wall/underground cables</p> <p><u>Mechanical & General Specifications</u> Size; Transmitter - 190 mm x 85 mm x 50 mm Receiver - 250 mm x 65 mm x 45mm</p> <p>Weight Transmitter - 0.45 kg Receiver - 0.36 kg</p> <p>Batteries Transmitter - 6 pc Batteries 1.5V Receiver - 1 pc Battery 9V</p> <p>NB: Attach material data sheet/ brochure</p>	PC	1	
56	<p>LOOP CALIBRATOR/SIGNAL GENERATOR</p> <p>Specifications:</p> <ol style="list-style-type: none"> 1. Current measurement: 0 -20mA 2. Current sourcing: 0 -20mA or 4 – 20mA 3. Current measurement: 0 -20mA or 4 -20mA with an external loop voltage requirement of 12 – 30V 	pc	1	

	<ol style="list-style-type: none"> 4. Loop power of 24V while measuring mA 5. Voltage measurement of 0 -28VDC 6. Per MIL-T-28800 for a Class 2 Instrument vibration and shock specifications 7. Adherence to CSA C22.2 No. 1010.1:1992 environment safety standards 8. One handed user interface with "Quick Click" detented knob 9. mA sourcing, simulation and measurement 10.0.015% accuracy and 0.001 mA resolution 11.Simultaneous mA and % of span display 12.Selectable step or ramp outputs 13.24 V Loop supply with mA measure, including 250 Ω HART resistor 14.0-28 V DC measurement to check Loop Voltage 15.Large display and simple, quick-click interface for easy one-handed operation. 16.Simultaneous mA and % readout for quick, easy interpretation of readings. 17.mA accuracy of 0.015%. 18.1 μA resolution for mA source, simulate and measure. 19.Push button 25% steps for fast, easy linearity checks. 20.0-100% “span check” for fast confirmation of zero and span. 21.Selectable slow ramp, fast ramp, and step ramp to provide smooth outputs for valve slewing and loop functional tests. 22.0 - 20 mA or 4 - 20 mA default start up modes. 23.Innovative output adjustment dial with 1 μA and 100 resolution. 24.HART mode that connects 250 Ω resistor in series with 24 V loop for compatibility with HART communicators <p>NB: Attach material data sheet/ brochure</p>			
57	<p>PRECISION RESISTANCE PROGRAMMABLE DECADE</p> <p>Specifications:</p>	pc	1	

<ol style="list-style-type: none"> 1. Resistance range 1.000 00 Ω - 1.200 000 MΩ 2. Accuracy 0.005% 3. Resolution from 10 $\mu\Omega$ 4. Range of Pt sensor temperature simulation - 200°C - +850°C 5. Connection 2, 3, 4-wire 6. Remote control RS232, optionally IEEE488 7. Internal ACCU/power line adapter 8. Simulated RTDs - Pt10 ... Pt10000, Ni10 ... Ni10000 9. Type of Pt sensors - IEC 751 (1,3850 for IPTS68). IEC 751 (1,3851 for ITS90). US (US/JIS) (1,3916) 10. Type of Ni sensors - DIN 43760 (6180) - IEC 751 (1,3850 for IPTS68) IEC 751 (1,3851 for ITS90) US (US/JIS) (1,3916) 11. Power supply - internal battery 12 V – 2.6 Ah (WP2.6-12) external power line adapter 100–240 V 12. Operating voltage – 50 Vef AC 13. Temperature co-efficient - < 1 ppm/ °C (1 Ω - 2000 Ω) terminals R4W < 1 ppm/ °C (100 Ω - 1200 kΩ) terminals R2W < 5 ppm/ °C (2 kΩ - 10 kΩ) terminals R4W 14. 6 hours battery operating period <p>NB: Attach material data sheet/ brochure</p>			
--	--	--	--

SECTION VII

PRICE SCHEDULE FOR GOODS

SCHEDULE A

No.	Description	Unit	Qty	Unit Price (Kes)	Total Price (Kes)
1.	4 Inch Adjustable Spanner	Pc	4		
2.	6 Inch Adjustable Spanner	Pc	4		
3.	12 Inch Adjustable Spanner	Pc	4		
4.	24 Inch Adjustable Spanner	Pc	2		
5.	Double Ended Metric Open Jaw Spanner (6mm To 32mm)	Set	4		
6	Double Ended Metric Ring Spanner (6mm To 32mm)	Set	4		
7	Combined Spanner	Set	4		
8	½ Inch Drive Digital Torque Wrench	Pc	1		
9	2 Lb Engineers Ball Pein Hammer	Pc	4		
10	4 Lb Engineers Ball Pein Hammer	Pc	4		
11	1 Lb Copper Hammer	Pc	2		
12	2 Lb Copper Hammer	Pc	2		
13	10 Lb Sledge Hammer	Pc	4		
14	5 Lb Sledge Hammer	Pc	4		
15	1 Ton X 1m Wire Rope Sling	Pc	2		
16	2 Ton X 1m Wire Rope Sling	Pc	2		

17	2 Ton X 2m Wire Rope Sling	Pc	2		
18	3ton X 2m Wire Rope Sling	Pc	2		
19	3ton X 3m Wire Rope Sling	Pc	2		
20	4 Ton X 3m Wire Rope Sling	Pc	2		
21	5ton X 3m X 125mm Lifting Sling Strap (Flat Belt)	Pc	2		
22	3ton X 3m X 75mm Lifting Sling Strap (Flat Belt)	Pc	2		
23	4 Ton X 2m X 100mm Lifting Sling Strap (Flat Belt)	Pc	2		
24	2ton X 2m X 50mm Lifting Sling Strap (Flat Belt)	Pc	2		
25	1 Ton X 1m X 50mm Lifting Sling Strap (Flat Belt)	Pc	2		
26	2ton X 1m X 50mm Lifting Sling Strap (Flat Belt)	Pc	2		
27	2 Ton D-Shackle	Pc	2		
28	3 Ton D-Shackle	Pc	2		
29	5 Ton D-Shackle	Pc	2		
30	6 Ton D-Shackle	Pc	2		
31	50m X 1 Inch Dia Water Hose Pipe	Pc	2		
32	11 Pc Cushion Grip Flat Screwdriver Set	Set	2		
33	11 Pc Cushion Grip Star Screwdriver Set	Set	2		
34	High Leverage Combination Pliers	Set	2		
35	Long Nose Pliers	Set	2		
36	Allen Keys Set as per specifications	Set	2		
37	Torx Keys Set as per specifications	Set	2		

38	Craftsman 20 Inch Steel Hip Roof Tool Box	Pc	5		
39	Tap & Die Set (Metric)	Set	1		
40	Pipe Threading Kit	Set	1		
Sub-Total (Schedule A)					
Discount (%) If Any					
Other Charges E.G. Transport, Handling					
Add 16% VAT					
Total Cost Delivered and Duty Paid(DDP) to Olkaria Power Station					
Country Of Origin					
Currency Of Tender					
Delivery Period					

TENDERER'S NAME: _____

TENDERER'S SIGNATURE _____

COMPANY'S RUBBER STAMP _____

SCHEDULE B

No.	Description	Unit	Qty	Unit Price (Kes)	Total Price (Kes)
41	E-Z Fit Single Pipe Chain Clamp 10-36inch	Pc	1		
42	E-Z Fit Single Pipe Chain Clamp 1-10inch	Pc	1		
43	Constant Swing Tubing Cutter	Pc	2		
44	Portable Ventilation Fan With 5m Air Duct	Pc	2		
45	Hand Held Blower	Pc	1		
46	Rechargeable 12 Led Helmet Light	Pc	10		
47	Portable Straight Line Gas Cutter	Pc	1		
48	Portable Circular Gas Cutter.	Pc	1		
49	12vdc Fuel Transfer Pump	Pc	1		
Sub-Total (Schedule A)					
Discount (%) If Any					
Other Charges E.G. Transport, Handling					
Add 16% VAT					
Total Cost Delivered and Duty Paid(DDP) to Olkaria Power Station					
Country Of Origin					
Currency Of Tender					
Delivery Period					

TENDERER'S NAME: _____

TENDERER'S SIGNATURE _____

COMPANY'S RUBBER STAMP _____

Tender for Supply of Steam Field Tools and Equipment

SCHEDULE C

No.	Description	Unit	Qty	Unit Price (Kes)	Total Price (Kes)
50	Clamp Meter (Multi-Meter)	Pc	2		
51	Electrician Termination Tool Kit	Pc	1		
52	Insulation Resistance Tester	Pc	1		
53	Wire Stripper	Pc	3		
54	Phase Tester	Pc	3		
55	Cable Tracer/Locator	Pc	1		
56	Loop Calibrator/Signal Generator	Pc	1		
57	Precision Resistance Programmable Decade	Pc	1		
Sub-Total (Schedule A)					
Discount (%) If Any					
Other Charges E.G. Transport, Handling					
Add 16% VAT					Add 16% VAT
Total Cost Delivered and Duty Paid(DDP) to Olkaria Power Station					
Country Of Origin					
Currency Of Tender					
Delivery Period					

TENDERER'S NAME: _____

TENDERER'S SIGNATURE _____

COMPANY'S RUBBER STAMP _____

Tender for Supply of Steam Field Tools and Equipment

**SECTION VIII
STANDARD FORMS**

8.1 FORM OF TENDER

Date _____
Tender No. _____

To: _____

[name and address of procuring entity]

Gentlemen and/or Ladies:

1. Having examined the tender documents including Addenda Nos. *[insert numbers]*.the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply deliver, install and commission (..... *(insert equipment description)* in conformity with the said tender documents for the sum of *(total tender amount in words and figures)* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.

2. We undertake, if our Tender is accepted, to deliver install and commission the equipment in accordance with the delivery schedule specified in the Schedule of Requirements.

3. If our Tender is accepted, we will obtain the guarantee of a bank in a sum of equivalent to _____ percent of the Contract Price for the due performance of the Contract , in the form prescribed by*(Procuring entity)*.

4. We agree to abide by this Tender for a period of *[number]* days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

5. This Tender, together with your written acceptance thereof and your notification of award, shall constitute a Contract, between us, subject to signing of the Contract by the parties.

6. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this _____ day of _____ 20 _____

[signature]

[in the capacity of]

Duly authorized to sign tender for an on behalf of _____

Tender for Supply of Steam Field Tools and Equipment

8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

***MANDATORY CONFIDENTIAL BUSINESS QUESTIONNAIRE**

(Must be filled by all applicants or Tenderers' who choose to participate in this tender)

Name of Applicant(s).....

You are requested to give the particulars in Part 1 and either Part 2 (a), 2 (b) or 2 (c), whichever applies to your type of business. Part 2 (d) to part 2 (i / j) must be filled. You are advised that giving wrong or false information on this Form will lead to automatic disqualification/termination of your business proposal at your cost.

Part 1 – General

Business Name:.....Certificate of Incorporation / Registration No.
.....Location of business premises:
CountryPhysical address
TownBuilding.....
Floor.....Plot No.
Street / RoadPostal Address
Postal / Country Code.....Telephone No's.....
Fax No's.E-mail address
Website
Contact Person (Full Names) Direct / Mobile No's.....
Title Power of Attorney (Yes / No)
If yes, attach written document.
Nature of Business (Indicate whether manufacturer, distributor, etc)

(Applicable to Local suppliers only)

Local Authority Trading License No. Expiry Date
Value Added Tax No.....
Value of the largest single assignment you have undertaken to date (USD/KShs)
Was this successfully undertaken? Yes / No.(If Yes, attach reference)
Name (s) of your banker (s)
Branches Tel. No's.

Part 2 (a) – Sole Proprietor (if applicable)

Full names
Nationality..... Country of Origin.....
.....
Company Profile (Attach brochures or annual reports in case of public company)

Part 2 (b) – Partnerships (if applicable)

Give details of partners as follows:

Full Names Nationality Citizenship Details Shares

1.
2.
Company Profile (Attach brochures)

Part 2 (c) – Registered Company (if applicable - as per the CR12 form)

Private or public
Company Profile (Attach brochures or annual reports in case of public companies)
State the nominal and issued capital of the Company
Nominal KShs
Issued KShs
List of top ten (10) shareholders and distribution of shareholding in the company. Give details of all directors as follows:-

Full Names Nationality Citizenship Details Shares

1.....
2.....

Part 2 (d) – Debarment

I/We declare that I/We have not been debarred from any procurement process and shall not engage in any fraudulent, corrupt, coercive and obstructive acts with regard to this or any other tender by the KENGEN and any other public or private institutions.

Full Names
Signature
Dated this day of 2017.
In the capacity of
Duly authorized to sign Tender for and on behalf of

Part 2 (e) – Bankruptcy / Insolvency / receivership.

I/We declare that I/We have not been declared bankrupt or insolvent by the competent Authorities in Kenya and neither are we under receivership:

Full Names
Signature
Dated this day of 2017.
In the capacity of
Duly authorized to sign Tender for and on behalf of

Part 2 (f) – Criminal Offence

I/We, (Name (s) of Director (s)):-

- a)
- b)

Have not been convicted of any criminal offence relating to professional conduct or the making of false statements or misrepresentations as to its qualifications to enter into a procurement contract within a period of three (3) years preceding the commencement of procurement proceedings.

Signed
For and on behalf of M/s

In the capacity of
Dated this day of 2017.

Suppliers' / Company's Official Rubber Stamp
.....

Part 2 (g) – Conflict of Interest

I/We, the undersigned state that I / We have no conflict of interest in relation to this procurement:

- a)
- b)

For and on behalf of M/s
In the capacity of

Dated this day of 2017
Suppliers' / Company's Official Rubber Stamp
.....

Part 2 (h) – Interest in the Firm:

Is there any person/persons in KENGEN or any other public institution who has interest in the Firm? Yes/No
(Delete as necessary) Institution

.....
(Title) (Signature) (Date)

Part 2(i) – Experience:

Please list here below similar projects accomplished or companies / clients you have supplied with similar items or materials in the last 5 years.

	Company Name	Country	Contract/Order No.	Value	Contact person (Full Names)	E-mail address	Cell phone No.
1							
2							

Part 2 (i or j) – Bank account details:

AGPO firms must provide evidence from their bank that the account to which KenGen shall make payment has a youth or a woman or a PWD listed in the **CR12 form/partnership deed/sole proprietor certificate** as a MANDATORY signatory of that account,-
Sec.157 (11) of PPADA:

Account No:.....Name of the person(s) in the CR12 form OR in the partnership deed OR in the sole proprietor certificate...../.....

ID No(s):...../.....Signature and stamp of the authorized Banker Representative.....Date.....

Part 2(j or k) – Declaration

I / We, the undersigned state and declare that the above information is correct and that I / We give KENGEN authority to seek any other references concerning my / our company from whatever sources deemed relevant, e.g. Office of the Registrar of Companies, Bankers, etc.

Full names

.....
Signature.....

For and on behalf of M/s

In the capacity of

.....
Dated thisday of2017.

Suppliers' / Company's Official Rubber Stamp

.....

8.3 TENDER SECURITY DECLARATION FORM

{To be filled in Tenderer's letter head}

[The Bidder shall complete in this Form in accordance with the instructions indicated]

Date: *[insert date (as day, month and year)]*

Tender No.: *[insert number of Tendering process]*

To: **Kenya Electricity Generating Company Limited**

We, the undersigned, declare that:

1. We understand that, according to your conditions, Tenders must be supported by a Tender-Security Declaration.
2. We accept that we will automatically be suspended from being eligible for Tendering in any contract with the Procuring Entity for the period of time of ***[insert number of months or years]*** starting on *[insert date]*, if we are in breach of our obligation(s) under the Tender conditions, because we:-
 - a) Have withdrawn our Tender during the period of Tender validity specified in the Form of Tender; or
 - b) Having been notified of the acceptance of our Tender by the Procuring Entity during the period of Tender validity,
 - (i). Fail or refuse to execute the Contract, if and when required, or
 - (ii). Fail or refuse to furnish the Performance Security, in accordance with the ITT.
2. We understand this Tender Security Declaration shall expire if we are not the successful Tenderer, upon the earlier of:-
 - (i) Our receipt of your notification to us of the name of the successful Tenderer; or
 - (ii) Thirty days after the expiration of our Tender.
3. We understand that if we are a Joint Venture, the Tender Security Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Security Declaration shall be in the names of all future partners as named in the letter of intent.

Signed: *[insert signature of person whose name and capacity are shown]* in the capacity of *[insert legal capacity of person signing the Tender Security Declaration]*

Name: *[insert complete name of person signing the Tender Security Declaration]*

Duly authorized to sign the Tender for and on behalf of: *[insert complete name of Tenderer]*

Dated on _____ day of _____, _____ *[insert date of signing]*

8.4 CONTRACT FORM

THIS AGREEMENT made the _____ day of _____ 20 ____ between [name of **the Employer**] of [country of **the Employer**] (hereinafter called "**the Employer**") of the one part and [name of **the Supplier**] of [city and country of **the Supplier**] (hereinafter called "**the Supplier**") of the other part;

WHEREAS the Employer invited tenders for] and has accepted a tender by the tenderer for the supply of in the sum of [contract price in words and figures] (hereinafter called "the Contract Price).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
 - (a) the Tender Form and the Price Schedule submitted by the tenderer
 - (b) the Schedule of Requirements
 - (c) the Technical Specifications
 - (d) the General Conditions of Contract
 - (e) the Special Conditions of contract; and
 - (f) the Procuring entity's Notification of Award and Tenderer's Acceptance
 - (g) Applicable addenda and clarifications
3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tenderer hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed by _____ the _____ (for the Procuring entity)

Signed by _____ the _____ (for the tenderer in the presence of _____)

(Amend accordingly if provided by Insurance Company)

**8.5 PERFORMANCE SECURITY FORM
(To be on the Banks Letterhead)**

To
[name of Procuring entity]

WHEREAS *[name of tenderer]* (hereinafter called “the tenderer”) has undertaken , in pursuance of Contract No. _____ *[reference number of the contract]* for dated _____ 20 _____ to **Supply Steam-field Tools and Equipment for Geothermal Development Division** (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

NOW THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the tenderer, up to a total of *[amount of the guarantee in words and figure]* and we undertake to pay you, upon your first written demand declaring the tenderer to be in default under the Contract and without cavil or argument, any sum or sums within the limits of *[amount of guarantee]* as aforesaid, without you needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the _____ day of _____ 20 ____

Signed and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

8.6 MANUFACTURER'S AUTHORIZATION FORM

To *[name of the Procuring entity]*

WHEREAS*[name of the manufacturer]* who are established and reputable manufacturers of **Supply of Steam-field Tools and Equipment for Geothermal Development Division** having factories at *[address of factory]* do hereby authorize *[name and address of Agent]* to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. *[reference of the Tender]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

[signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person authorized.