

KENYA ELECTRICITY GENERATING COMPANY LIMITED

TENDER NO. KGN-TURK-04-2017 DATE: 26/04/2017

TENDER FOR REHABILITATION OF KAINUK TURKWEL ROAD IN TURKWEL POWER STATION ADDENDUM NO. 2 (ADDITIONAL SCOPE):

In accordance with the tender mentioned above, KenGen hereby issue addendum No. 2

ADDENDUM NO. 2 - TENDER FOR REHABILITATION OF KAINUK TURKWELL ROAD

Bill 21:

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
				Kshs.	Kshs.
21.1	Excavate for, trim to line and level,	SM	1350		
	provide and lay stone pitching.				
	The stone pitching shall comply with				
	requirements of clause 710				

	of the standard specification for Road and			
	Bridge Construction.			
21.2	Repair joint on Nasolot Bridge.	SM	25	
	Provide lay and compact asphalt concrete			
	Type 1 to concrete surface, regulation.			
	Minimum 50 mm thick layer of precoated			
	10/14 mm Class 1 pre-coated chippings to			
	pavement surfaces at 100-120 m ² /m ³			
21.3	Gabion mesh size 2000 x 1000 x 1000 mm	No.	300	
	consisting of standard galvanised wired			
	basket. Rate to include cost of providing			
	fixing mesh and cost complying with the			
	requirements of clause 711 of the			
	Standard Specification for Road and Bridge			
21.4	Supply and place rock fill in gabion matress	CM	500	
	The rate of rockfill to gabions shall include			
	the cost of providing, hauling and			
	placing rock and the cost complying with			
	Clause 711 of the Standard specification			
	for Road and Bridge Construction).			

Other terms and conditions remain unchanged

REVISED SUMMARY PAGE

SUMMARY PAGE				
Bill No.	Description	Amount KShs		
1	PRELIMINARY AND GENERAL			
4	SITE CLEARING			
8	DRAINAGE WORKS			
15	SURFACE DRESSING			
16	POT HOLE REPAIRS			
20	ROAD FURNITURE			
21	ADDENDUM 2			
	SUB-TOTAL			
	ADD: 16% VAT			
GRAND	TOTAL Carried to page on the Form of Tender			

ACKOWLEDGEMENT OF ADDENDUM 2

We, the undersigned hereby certify that the Addendum is an integral part of the document and has been incorporated in the tender
document.
Signed
Tenderer:
Date